

## WALL MOUNTED **D SLIM** SERIES

---



**D Slim** Series a wide-ranging usage area due to low depth, easy installation and aesthetic appearance. Adjustable mounting rails and changeable opening direction of the front door provide functionality in use. Multiple cable entries and passive ventilation slots ensure the right conditions for your sensitive and valued devices.



### Colour Options

RAL7035 Light Gray

RAL9005 Black




#### **Usage Area**

D series SLIM cabinets; used in residential network and electronic infrastructure services.

#### **Aesthetics Appearance**

PVC strips on glass frame complete elegant and aesthetic visuality thus Agena Slim series smoothly fit the environment of your living areas.

**150/300 Depth**

By the reduced depth and easily installable structure provides ease of assembly and use

**Adjustable Mounting Rails**

Mounting rails are adjustable, through the depth of the cabinet.

**19" Structure**

2 pieces 19" device the mounting rails are available.

**Ergonomic**

Front glass door with spring-loaded hinge system allows changing opening direction when required.




#### **Passive Ventilation**

Passive ventilation punched slots in front of the top and bottom cases allow to air circulation inside the cabinet.

#### **Multiple Cable Entry**

Multiple cable entry point on top and bottom with 6 knockout holes in the dimension of 30 mm x 76,5 mm are available.




BR	DTD	07U	60	15	C1	A	0	0	0	A	X1
1	2	3	4	5	6	7	8	9	10	11	12

1. Company product coding system's initial character is BR that stands for BOREAS.
2. Product Series Code. DTD stands for D SLIM Wall Mounted
3. Numeric Character defining the height of the cabinet. Depending on model differences, between 07 to 12 height variety available. U Height Alphanumeric Notation is fixed, not editable. 1U is 44.45mm.
4. The First two Digits of the depth information, 60 for W:600mm
5. The First two Digits of the width information. 15 for D:150mm cabinets, 30 for D:300mm cabinets
6. Colour Codes. C1 for Light Gray RAL 7035. C2 for Black RAL 9005
7. Front door variation number.\*
8. Rear door variation number\*
9. Right Side Panel variation number.\*
10. Left Side Panel variation number..
11. Version information. A- Standart version. The version is changed alphabetically when any alteration made to the cabinet
12. Indicate how the cabinets' shipped. X1 for assembled, X2 for flat pack.

#### Wall Type D SLIM Series DOOR Options

- A Single Opening, Flat Shaped, Glass Front Door with Side Frame, Single Point Locking with Barrel Lock
- B Single Opening, Flat Shaped, Solid Metal Front Door, Single Point Locking with Barrel Lock
- C Single Opening, Flat Shaped, Complete Framed %63 Perforated, Metal Front Door, Single Point Locking with Barrel Lock

\* YOU CAN CHECK THE DOOR OPTIONS FOR DOOR AND PANEL VARIATIONS...



#### Material

- 1.0 mm DKP

#### IP Classification

- As a standard IP20
- IP40 when solid metal panel applied for all access

#### Color Options

- RAL9005 Black
- RAL7035 White

#### Doors

- Door options are available.
- Single point locking system
- Doors can be opened to 236 degree.
- Doors can be opened to left or right direction

#### Mounting Rails


- 19" Mounting rails; adjustable in depth of the cabinet
- 1.5mm DX51D+ZN275 galvanic

#### Monoblock Structure

- Mounting holes are available on rear panel
- Microjointed cable entry is available on top sheet

#### Loading Capacity

- Recommended up to 80 kg Loading capacity



## 19" Wall Mounted Agena Slim Series Cabinets

Product Code	Product Description	Height Size in (U)	Width(w) (mm)	Depth (D) (mm)	Height (H) (mm)	Weight (Net) (kg)	Weight (Gross) (kg)
BR-DTD07U6015CC-0000-A-XX	7U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=150mm	7U	600	150	245	8	9,5
BR-DTD09U6015CC-0000-A-XX	9U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=150mm	9U	600	150	467	10	11,5
BR-DTD12U6015CC-0000-A-XX	12U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=150mm	12U	600	150	600	12	13,5
BR-DTD07U6030CC-0000-A-XX	7U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=300mm	7U	600	300	245	10	11,5
BR-DTD09U6030CC-0000-A-XX	9U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=300mm	9U	600	300	467	13	14,5
BR-DTD12U6030CC-0000-A-XX	12U 19" BOREAS D Slim Wall Mounted Cabinet W=600mm D=300mm	12U	600	300	600	15	16,5

CC = Colour Code, C1 White RAL 7035, C2 Black RAL 9005, during order please specify the colour choice  
 Please consider when used levelling feet 30mm add to Height, in castor add 80mm  
 0000 = Please check the Door Options page  
 XX = X1 for pre-assembled, X2 for flat pack